



Safety Data Sheet Copper (II) oxide

Section 1: Chemical Product and Company Identification			
Product Name: Copper(II) oxide	Contact Information:		
Catalog Codes: 526			
CAS#: 1317-38-0	Email: info@drm-chem.com		
RTECS: GL7900000	Address: #7, Afshar javan Alley, Sohrevardi		
Synonym: Copper monoxide powder	St ,Tehran, Iran		
Chemical Name: cupric oxide, black copper oxide,	post code: 1551818111		
copper(II) oxide	Tehran Sales: +98 21 88177760		
Chemical Formula: CuO	Order Online: Drm-chem.com		

Section 2: Composition and Information on Ingredients				
Composition:				
Name	CAS #	% by Weight		
Copper(II) oxide	1317-38-0	100		

Toxicological Data on Ingredients: LD50 Oral - Rat - male - > 2.500 mg/kg.

Section 3: Hazards Identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410 For the full text of the H-Statements mentioned in this Section, see Section 16.

Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Warning Hazard statement(s) H410 Very toxic to aquatic life with long lasting effects. Precautionary statement(s) P273 Avoid release to the environment. P391 Collect spillage. P501 Dispose of contents/ container to an approved waste disposal plant. Supplemental Hazard none Statements Reduced Labeling (<= 125 ml) Pictogram



Signal word Warning Hazard statement(s) none Precautionary none statement(s) Supplemental Hazard none Statements

Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Section 4: First Aid Measures

Description of first-aid measures If inhaled After inhalation: fresh air.

In case of skin contact In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 3) and/or in section 11

Indication of any immediate medical attention and special treatment needed No data available

Section 5: Fire and Explosion Data

Extinguishing media Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Copper oxides Not combustible. Ambient fire may liberate hazardous vapours.

Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

Reference to other sections

For disposal see section 13.

Section 7: Handling and Storage

Precautions for safe handling For precautions see section 3.

Conditions for safe storage, including any incompatibilities Storage conditions Tightly closed. Dry.

Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

Section 8: Exposure Controls/Personal Protection

Control parameters Ingredients with workplace control parameters

Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mailsales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to

the used respiratory protection system.

Recommended Filter type: Filter type P1

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

Section 9: Physical and Chemical Properties

Information on basic physical and chemical properties

a) Appearance	Form: powder Color: black
b) Odor	No data available
c) Odor	Threshold No data available
d) pH	7 (20 °C)
e) Melting point/freezing point	Melting point/range: 1336 °C
f) Initial boiling point and boiling range	No data available
g) Flash point	Not applicable
h) Evaporation rate	No data available
i) Flammability (solid, gas)	The product is not flammable.
j) Upper/lower flammability or explosive limits	No data available
k) Vapor pressure	No data available
I) Vapor density	No data available

m) Density	6,32 g/cm3
Relative density	No data availabl
n) Water solubility	insoluble
 o) Partition coefficient: n-octanol/water 	Not applicable for inorganic substances
p) Autoignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
s) Explosive properties	No data available
t) Oxidizing properties	none
Other safety information Bulk density	500 kg/m3

Section 10: Stability and Reactivity Data

Reactivity

No data available

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

Possibility of hazardous reactions

Risk of explosion with: Aluminum Violent reactions possible with: Boron hydrazine and derivatives hydroxylamine sodium magnesium Risk of ignition or formation of inflammable gases or vapours with: hydrogen sulphide Fluorine silane hydrides Potassium Acid anhydrides Hydrogen

Conditions to avoid

no information available

Incompatible materials

No data available

Hazardous decomposition products

In the event of fire: see section 5

Section 11: Toxicological Information

Information on toxicological effects Acute toxicity

LD50 Oral - Rat - male - > 2.500 mg/kg (OECD Test Guideline 423) Symptoms: Possible damages:, Vomiting, Pain, Diarrhea Symptoms: Irritation symptoms in the respiratory tract. LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Copper(II) sulphate Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Application Route: Oral Method: OECD Test Guideline 486 Result: negative Remarks: (in analogy to similar products) Test Type: Micronucleus test Species: Mouse Cell type: Red blood cells (erythrocytes) Application Route: Oral Method: Directive 67/548/EEC, Annex V, B.12. Result: negative Remarks: (in analogy to similar products)

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information Endocrine disrupting properties Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RTECS: GL7900000

Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After uptake:

Systemic effects:

CNS disorders

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Section 12: Ecological Information				
Toxicity Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - 0,193 mg/l - 96 h Remarks: (ECHA) (in analogy to similar products) The value is given in analogy to the following substances: Copper(II) sulphate			
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 0,011 - 0,039 mg/l - 48 h			
Toxicity to algae	static test NOEC - Phaeodactylum tricornutum - 0,0057 mg/l - 72 h (ISO 10253) Remarks: (in analogy to similar products) (above the solubility limit in the test medium) The value is given in analogy to the following substances: Copper(II) chloride dihydrate			
	static test ErC50 - Skeletonema costatum (marine diatom) - 0,0238 mg/l - 72 h (ISO 10253) Remarks: (in analogy to similar products) (above the solubility limit in the test medium) The value is given in analogy to the following substances: Copper(II) chloride dihydrate			
Persistence and de	gradability ermining the biological degradability are not applicable to inorganic substances.			
Bioaccumulative po No data available	otential			
Mobility in soil No data available				
	I vPvB assessment ure contains no components considered to be either persistent, I toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or			
Endocrine disruptii Product:	ng properties			
Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.			

Section 13: Disposal Considerations

Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself

Section 14: Transport Information				
UN number ADR/RID: 3077	IMDG: 3077	IATA: 3077		
UN proper shipping name ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (copper(II) oxide) IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (copper(II) oxide) IATA: Environmentally hazardous substance, solid, n.o.s. (copper(II) oxide)				
Transport hazard class(es) ADR/RID: 9	IMDG: 9	IATA: 9		
Packaging group ADR/RID: III	IMDG: III	ΙΑΤΑ: ΙΙΙ		
Environmental hazards ADR/RID: yes	IMDG Marine pollutant: yes	IATA: yes		
Special precautions for user				
Further information EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9				

Section 15: Other Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the European : ENVIRONMENTAL HAZARDS

Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

Section 16: Other Information

References: Not available

Other Special Considerations: Not available

Created: 01/01/2023

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the Information for their particular purposes. In no event shall *Drm-chem.com* be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if *Drm-chem.com* has been advised of the possibility of such damages.