



# Safety Data Sheet Iodine

# Section 1: Chemical Product and Company Identification

Product Name: lodine Catalog Codes: 464 CAS#: 7553-56-2 RTECS: NN1575000 Synonym: ---Chemical Name: lodine Chemical Formula: l<sub>2</sub>

#### Contact Information:

Email: info@drm-chem.com

Address: #7, Afshar javan Alley, Sohrevardi

St, Tehran, Iran

post code: 1551818111

Tehran Sales: +98 21 88177760

Order Online: Drm-chem.com

# Section 2: Composition and Information on Ingredients Composition: Kame CAS # % by Weight Iodine 7553-56-2 100 Toxicological Data on Ingredients: Iodine: ORAL (LD50): Acute: 14000 mg/kg [Rat]. 22000 mg/kg [Mouse].

# **Section 3: Hazards Identification**

#### **Potential Acute Health Effects:**

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation. Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of skin contact (permeator). The amount of tissue damage depends on length of contact. Eye contact can result in corneal damage or blindness. Skin contact can produce inflammation and blistering. Inhalation of dust will produce irritation to gastro-intestinal or respiratory tract, characterized by burning, sneezing and coughing. Severe over-exposure can produce lung damage, choking, unconsciousness or death. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

#### **Potential Chronic Health Effects:**

Hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation. CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance is toxic to thyroid. The substance may be toxic to blood, kidneys, liver, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated skin exposure can produce local skin destruction, or dermatitis. Repeated inhalation of dust can produce varying degree of respiratory irritation or lung damage.

# **Section 4: First Aid Measures**

#### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. WARM water MUST be used. Get medical attention immediately.

#### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

#### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

#### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

#### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. WARNING: It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.

#### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

Serious Ingestion: Not available.

# **Section 5: Fire and Explosion Data**

Flammability of the Product: Non-flammable.

Auto-Ignition Temperature: Not applicable.

Flash Points: Not applicable.

Flammable Limits: Not applicable.

Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances: Not applicable.

#### **Explosion Hazards in Presence of Various Substances:**

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions: Not applicable.

#### **Special Remarks on Fire Hazards:**

Ignition on contact with bromine, ... chlorine trifluoride, ...metals (powdered) + water, aluminum-titanium alloys + heat, metal acetylides, ... nonmetals, ... sodium phosphinate. Incandescent reaction with cesium oxide (above 150 deg C), bromine trifluoride, metal acetylides or carbides [e.g. barium acetylide (above 122 deg C), calcium acetylide (above 305 deg C), strontium acetylide (above 182 deg C), zirconium acetylide (above 400 degC)]. Magnesium burns vigorously when heated with iodine vapor. Iodine unites with fluorine at ordinary temperature with a luminous flame

#### Special Remarks on Explosion Hazards:

Explosive reactions with iodine and: hafnium powder + heat; tetraamine copper (II) sulfate + ethanol; trioxygen difluoride; polyacetylene (at 113 deg. C); potassium; sodium; butadiene+ ethanol +mercuric oxide;

#### **Section 6: Accidental Release Measures**

Small Spill: Use appropriate tools to put the spilled solid in a convenient waste disposal container.

#### Large Spill:

Corrosive solid. Stop leak if without risk. Do not get water inside container. Do not touch spilled material. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

# Section 7: Handling and Storage

#### **Precautions:**

Keep container dry. Do not ingest. Do not breathe dust. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as oxidizing agents, reducing agents, metals.

**Storage:** Keep container tightly closed. Keep container in a cool, well-ventilated area.

### **Section 8: Exposure Controls/Personal Protection**

#### Engineering Controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

#### **Personal Protection:**

Splash goggles. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

#### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor and dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

#### Exposure Limits:

STEL: 1 (mg/m3) from ACGIH (TLV) [United States] STEL: 0.1 (ppm) from ACGIH (TLV) [United States] TWA: 1 CEIL: 1 (mg/m3) from OSHA (PEL) [United States] TWA: 0.1 CEIL: 0.1 (ppm) from OSHA (PEL) [United States] STEL: 0.1 (ppm) [United Kingdom (UK)] STEL: 1.1 (mg/m3) [United Kingdom (UK)]Consult local authorities for acceptable exposure limits.

# **Section 9: Physical and Chemical Properties**

#### Physical state and appearance: Solid.

Odor: Sharp Characteristic. (Strong.)

Taste: Not available.

Molecular Weight: 253.81 g/mole

Color: Purple solid with metalic luster. (Dark.)

pH (1% soln/water): Not available.

**Boiling Point:** 184.4°C (363.9°F)

Melting Point: 113.5°C (236.7°F)

Critical Temperature: Not available.

Specific Gravity: 4.93 (Water = 1)

Vapor Pressure: Not applicable.

Vapor Density: Not available.

Volatility: Not available.

Odor Threshold: Not available.

Water/Oil Dist. Coeff.: The product is more soluble in oil; log(oil/water) = 2.5

Ionicity (in Water): Not available.

**Dispersion Properties:** See solubility in water, methanol, diethyl ether.

#### Solubility:

Easily soluble in diethyl ether. Soluble in methanol. Very slightly soluble in cold water, hot water.

# Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Heat, direct sunlight, incompatible materials

Incompatibility with various substances: Reactive with oxidizing agents, reducing agents, metals.

#### **Corrosivity:**

Extremely corrosive in presence of steel, of stainless steel(304), of stainless steel(316). Non-corrosive in presence of glass, of aluminum, of copper.

#### Special Remarks on Reactivity:

Incompatible with liquid chlorine, acetaldehyde, ammonia, salt + ethanol, ammonium hydroxide, methyl alcohol, antimony, silver azide, lithium, potasssium, sodium, phosphorous, bromine pentafluoride, fluorine, oxygen difluoride, magnesium, finely divided metals, organic solvents, rubber goods, plastics, zinc, aluminum, alkali metals, sulphur, ammonia solutions, Bromine trifluoride, reducing agents, iron, ethanol + butadiene; ethanol + phosphorous; ethanol + methanol + HgO; foramide + pyrindine + sulfur trioxide; formamide; halogens or interhalogens; mercuric oxide; metal carbides; oxygen; pyridine; sodium hydride. Violent reaction with iodine and aluminum + diethyl ether ... (and) titanium (above 113 deg C)

#### Special Remarks on Corrosivity:

Corrodes steel. No corrosive effect on bronze

Polymerization: Will not occur.

**Section 11: Toxicological Information** 

Routes of Entry: Inhalation. Ingestion.

Toxicity to Animals: Acute oral toxicity (LD50): 14000 mg/kg [Rat].

# Chronic Effects on Humans:

Causes damage to the following organs: thyroid. May cause damage to the following organs: blood, kidneys, liver, skin, eyes.

# Other Toxic Effects on Humans:

Very hazardous in case of skin contact (irritant), of ingestion, of inhalation. Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of skin contact (permeator).

# Special Remarks on Toxicity to Animals:

Lowest Published Lethal Dose: LDL [Human] - Route: Oral; Dose: 28 mg/kg LCL [Rat] - Route: Inhalation; Dose: 137 ppm/1H

Special Remarks on Chronic Effects on Humans: May cause adverse reproductive effects (effects on new born).

# Special Remarks on other Toxic Effects on Humans:

Acute Potential Health Effects: Skin: Corrosive action skin. Causes skin irritation and burns. It is corrosive and can cause penetrating lesions and brown staining. It can be absorbed by the skin. Eyes: Causes eye irritation and burns. May cause conjunctivitis. Exposure to vapor can cause burning sensation in the eyes, tearing, inflammation of the eye lids. Exposure

to high concentrations of vapor can cause Dendritic Keratitis in which the corneal epithelium is sloughed off. Inhalation: Excessive inhalation of iodine vapors may cause respiratory tract, nasal, and mucous membrane irritation with possible burns. Symptoms may include coughing, tightness in the chest, burning sensations to the mucosal, tracheal, and pulmonary tissues, rhinitis, dyspnea/respiratory distress, coughing, sneezing, pulmonary edema, chemical pneumonitis, edema of the larynx and bronchi, pharyngitis, swelling of the parotid gland, and cachexia. High exposure may lead to lung disease and may also affect behavior/central nervous system (delirium, hallucination, depression, seizure, dizziness, headache, stupor, somnolence). Ingestion: Ingestion of large doses may cause irritation of mouth of the digestive tract with thirst, nausea, vomiting, abdominal pain, hypermotility, and diarrhea, staining of mouth, esophagus, lips, mucous membranes, metallic taste, abdominal pain, fever. It may also affect the cardiovascular system (tachycardia, hypotension, cardiovascular collapse), behavior/central nervous system(delirium, dizziness, headache, hallucinations, seizures,

# Section 12: Ecological Information

Ecotoxicity: Not available.

BOD5 and COD: Not available.

#### **Products of Biodegradation:**

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The product itself and its products of degradation are not toxic.

Special Remarks on the Products of Biodegradation: Not available.

# Section 13: Disposal Considerations

#### Waste Disposal:

Waste material must be disposed of in accordance with the national and local regulations.Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself

# **Section 14: Transport Information**

DOT Classification: Class 8: Corrosive material

Identification: : Corrosive Solid, n.o.s (Iodine) UNNA: 1759 PG: III

Special Provisions for Transport: Not available.

# **Section 15: Other Regulatory Information**

#### Federal and State Regulations:

Illinois toxic substances disclosure to employee act: Iodine Rhode Island RTK hazardous substances: Iodine Pennsylvania RTK: Iodine Minnesota: Iodine Massachusetts RTK: Iodine Massachusetts spill list: Iodine New Jersey: Iodine California Director's List of Hazardous Substances: Iodine TSCA 8(b) inventory: Iodine

#### **Other Regulations:**

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

#### Other Classifications:

#### WHMIS (Canada):

CLASS D-2A: Material causing other toxic effects (VERY TOXIC). CLASS E: Corrosive solid.

#### DSCL (EEC):

R38- Irritating to skin. R41- Risk of serious damage to eyes. S2- Keep out of the reach of children. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S39- Wear eye/face protection. S46- If swallowed, seek medical advice immediately and show this container or label.

HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 0

Reactivity: 0

Personal Protection: j

#### National Fire Protection Association (U.S.A.):

Health: 3

Flammability: 0

Reactivity: 0

Specific hazard:

#### **Protective Equipment:**

Gloves. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

# **Section 16: Other Information**

References: Not available

Other Special Considerations: Not available

#### Created: 01/03/2024

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the Information for their particular purposes. In no event shall Drm-chem.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Drm-chem.com has been advised of the possibility of such damages